fire hose reel Fire hose reel cabinet swivel



fire hose reel en Armoire - Fire hose reel Pivoting and rotating for maximum safety

Protect your premises effectively with our **fire hose reel en armoire**, a fire safety device designed to guarantee rapid, effective intervention in the event of a fire. Adapted to the requirements of ERP (Établissements Recevant du Public), industries and tertiary buildings, this **Fire hose reel pivoting and rotating** ensures optimal coverage and increased maneuverability.

Why choose our fire hose reel en Armoire?

- **Optimum safety**: Compliant with NF EN 671-1 standards and NF certified, guaranteeing reliability and performance.

- **Rotating and pivoting system**: Makes it easy to orientate the hose for a better grip when working.

- **Robust cabinet**: Steel construction with corrosion-resistant coating for long service life.

- **Easy installation and maintenance**: Ergonomic design for quick access and easy maintenance.

- **Versatile use**: Suitable for industrial, commercial and ERP environments, with different configurations available.

Technical specifications Fire hose reel (fire hose reel) in a cabinet

- **Pivoting and rotating hose reel** with axial feed for optimal handling.

- **20 to 30-meter semi-rigid hose**, compliant with NF EN 694 standard, offering extended intervention range.


- **Handheld nozzle With adjustable stream water flow can be adjusted to suit the nature of the fire.**


- **Optimized pressure and flow rate** for maximum efficiency (130 L/min at 2.5 bar).

- **Heavy-duty metal cabinet** available in various sizes, with wall-mounted or floor-standing options.

Cabinet dimensions Fire hose reel (fire hose reel)

Features	AP 19/20 DMA	AP 19/30 DMA	AP 25/20 DMA	
Item code	32984	33246	33637	
Nominal diameter	19			
Pipe length	20 m	30 m	20 m	
Dimensions in mm				
Height A	702			7
Width B	703			7
Depth C	288			2
Width open door D	1360			1
Opening radius (+depth) E	945			9
Connection F	3/4 "F			1
Range in metres at 0.2 Mpa at stopcock :				
Straight jet	10 m			
Diffused jet	3 m			
Empty weight	42 kg	45 kg	48 kg	
N.F EN 671-1 certification	RC/02/005			RC/





Installation and maintenance of your fire hose reel

Our **Fire hose reel pivoting and rotating cabinet** is designed for **quick installation** and **easy maintenance**. It meets the requirements of **NF EN 671-3** and APSAD R5 recommendations to ensure optimal long-term operation.

Order your fire hose reel en Armoire from MMF today!

Guarantee the protection of your premises with a reliable and certified **fire hose reel en armoire**. Contact us for more information on our fire safety solutions tailored to your needs.

MMF PROTECTION ET SÉCURITÉ - 672 RUE DES MERCIÈRES - PARC DES MERCIÈRES - 69140 RILLIEUX LA PAPE - FRANCE
Tél. 04 78 00 00 25 - Fax 04 78 00 96 61 - www.mmf.fr - e-mail : mmf@mmf.fr
Siret : 79587045000041 - APE : 4669B - RCS : RCS LYON B 795870450 - N° TVA intracom : FR12795870450 - Capital : 211 200,00 €